

**AERODROME LOCATION INDICATOR AND NAME
AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

| | |
|---|---|
| ARP co-ordinates and site at AD | 35°51'27.15"N 014°28'38.78"E BRG 313° (MAG) / 175M from THR 13 |
| Direction and distance from Valletta | 215°, 5KM from Valletta |
| Elevation/Reference temperature | 300 FT / 31.6°C |
| MAG VAR | 2°04'E(2007) – annual rate of change,0°05'E |
| AD Administration, address, telephone, fax, AFS, SITA | <p>Chief Executive Officer Malta International Airport plc Luqa LQA 05 Malta Tel: (356) 21 24 96 00 Fax: (356) 21 24 95 63 SITA: MLAMIXH</p> <p>Head of Airport Operations Malta International Airport plc Luqa LQA05 Malta Tel: (356) 23 69 65 32 (356) 99 42 41 90 Fax: (356) 21 24 95 64 SITA: MLAHKXH MLASLXH (Slot Co-ordination) e-mail: martin.dalmas@maltairport.com</p> <p>MIA Duty Officer Malta International Airport plc. Luqa LQA 05 Malta Tel: (356) 23 69 63 81 (356) 99 43 09 78 / 9</p> |
| Types of traffic permitted (IFR/VFR) | IFR/VFR |
| Remarks | Nil |

OPERATIONAL HOURS

| | |
|----------------------------|---|
| AD Administration | Malta International Airport plc. MON-FRI: 0800 LT – 1700 LT Duty Officer: H24 |
| Customs and Immigration | H24 |
| Health and Sanitation | H24 |
| AIS Briefing Office | H24 |
| ATS Reporting Office (ARO) | H24 |
| MET Briefing Office | H24 |
| ATS | H24 |
| Fuelling | H24 |
| Handling | H24 |
| Security | H24 |
| Remarks | Nil |

HANDLING SERVICES AND FACILITIES

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|------------|----------------------|------------|-----------------------|------------|---------------------------|------------|----------------------|------------|------------------------------|------------|---------|------------|-------------------------|------------|--------------------|------------|--------------------|------------|-------------|------------|-------|------------|
| Cargo-handling facilities | Lift trucks, cargo loaders, various vehicles and equipment | | | | | | | | | | | | | | | | | | | | | | | | |
| Fuel types | JET A1 and AVGAS 100LL | | | | | | | | | | | | | | | | | | | | | | | | |
| Fuelling facilities/capacity | <p>Various fuelling trucks JET A1; 390,000 litres capacity (storage for 1,210,000litres) AVGAS 100LL; 75,000 litres capacity Fuel is provided by ENEMALTA corporation (356) 21 24 44 80</p> | | | | | | | | | | | | | | | | | | | | | | | | |
| Hangar space for visiting aircraft | Nil | | | | | | | | | | | | | | | | | | | | | | | | |
| Repair facilities for visiting aircraft | <p>Lufthansa Technik Malta – B737-300/400/500/600/700/800 series, A319/320/321 series, A330-200/300 series and A340-300/500/600 series</p> <p>Medavia – EASA Part145 Line and Base Maintenance Approvals for DHC6; DHC8-100/200/300; CASA 212-100/200. Also D328 line maintenance. NDT all disciplines. Base maintenance support shops. Hangar up to Airbus321</p> <p>Maintenance Centre Malta – Business Jets and Regional Aircraft Maintenance in an ESA Part 145 approved AMO: Cessna: 206, 500/501, 525 (CJ1, CJ2 & CJ3), 550/551, 550B, 560, 560XL, 560XLS & 680 Bombardier LearJet: LJ 35/36, 40/45, 55 & 60 Bombardier Challenger: CL 300, 600, 601, 604, 605 & 850 (CL 600-2B16/19) Bombardier Global Express: Global 500, Global XRS Gulfstream: 500/550 Hawker Beechcraft 200 Series</p> <p>SR Technics Malta Ltd – Line and Base Maintenance for A318/319/320/321 series with both CFM56/IAE V2500 engines at SR Technics Malta Ltd.</p> | | | | | | | | | | | | | | | | | | | | | | | | |
| Remarks | <p>OPC frequencies are assigned to the following operators:</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 70%;">Malta International Airport Operations</td> <td style="width: 30%;">131.550MHZ</td> </tr> <tr> <td>Air Malta Operations</td> <td>131.450MHZ</td> </tr> <tr> <td>Air Malta Engineering</td> <td>131.650MHZ</td> </tr> <tr> <td>Air Malta Ground Handling</td> <td>131.965MHZ</td> </tr> <tr> <td>Lufthansa Operations</td> <td>131.925MHZ</td> </tr> <tr> <td>NCA International Operations</td> <td>131.400MHZ</td> </tr> <tr> <td>Medarco</td> <td>131.775MHZ</td> </tr> <tr> <td>European Flight Academy</td> <td>131.850MHZ</td> </tr> <tr> <td>Globe Ground Malta</td> <td>131.675MHZ</td> </tr> <tr> <td>Mater Dei Hospital</td> <td>131.800MHZ</td> </tr> <tr> <td>Harbour Air</td> <td>131.435MHZ</td> </tr> <tr> <td>ARINC</td> <td>131.825MHZ</td> </tr> </table> | Malta International Airport Operations | 131.550MHZ | Air Malta Operations | 131.450MHZ | Air Malta Engineering | 131.650MHZ | Air Malta Ground Handling | 131.965MHZ | Lufthansa Operations | 131.925MHZ | NCA International Operations | 131.400MHZ | Medarco | 131.775MHZ | European Flight Academy | 131.850MHZ | Globe Ground Malta | 131.675MHZ | Mater Dei Hospital | 131.800MHZ | Harbour Air | 131.435MHZ | ARINC | 131.825MHZ |
| Malta International Airport Operations | 131.550MHZ | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Malta Operations | 131.450MHZ | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Malta Engineering | 131.650MHZ | | | | | | | | | | | | | | | | | | | | | | | | |
| Air Malta Ground Handling | 131.965MHZ | | | | | | | | | | | | | | | | | | | | | | | | |
| Lufthansa Operations | 131.925MHZ | | | | | | | | | | | | | | | | | | | | | | | | |
| NCA International Operations | 131.400MHZ | | | | | | | | | | | | | | | | | | | | | | | | |
| Medarco | 131.775MHZ | | | | | | | | | | | | | | | | | | | | | | | | |
| European Flight Academy | 131.850MHZ | | | | | | | | | | | | | | | | | | | | | | | | |
| Globe Ground Malta | 131.675MHZ | | | | | | | | | | | | | | | | | | | | | | | | |
| Mater Dei Hospital | 131.800MHZ | | | | | | | | | | | | | | | | | | | | | | | | |
| Harbour Air | 131.435MHZ | | | | | | | | | | | | | | | | | | | | | | | | |
| ARINC | 131.825MHZ | | | | | | | | | | | | | | | | | | | | | | | | |

PASSENGER FACILITIES

| | |
|----------------------|--|
| Hotels | Adequate accommodation at a short distance from the airport |
| Restaurants | Restaurants, buffet and aircraft catering at AD |
| Transportation | Buses, Taxis and car hire from the AD |
| Medical facilities | First Aid at AD, hospitals in Malta |
| Bank and Post Office | Major banks and Foreign exchange (H24) Post office is open from Monday to Saturday between 0730 and 1245 (local time) |
| Tourist Office | Tourist Information Office |
| Remarks | Nil |

RESCUE AND FIRE FIGHTING SERVICES

| AD Category for fire fighting | AD Category for fire fighting | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|----------------------|-------------------------|----------------|---------------|---------------------------|--------------|---|----------------------|-----------------|------------|------------|-----------|----------------------|-------------------------------|--------------------|-------|-------------------------------|-----|--------------------------------------|-----------------|-----------------|---|------------|---|
| Rescue equipment | <p style="text-align: center;">1 x Fiat Ducato Rescue van containing the following items: LUKAS complete rescue tool set; Electrical generator; shovels x2 ; wooden blocks x 11; Radioactive survey meter x 2; Ladder x1; a/c chocks x 2; Dividing Breech x1; Diffuser branches; Bolt cropper x1; Portable floodlights x 2; Crash Axe large x1; Chemical suits x2; Delivery hoses x3; Breathing apparatus set complete x4; T Type Quick release knife x 1; Aircraft interphone unit x1; Foam extinguisher x9lts; Dry powder extinguisher x6kg; Halon extinguisher x6kg</p> <p style="text-align: center;">Fire Fighting Nissan Trailer pump x 2</p> <p style="text-align: center;">Stretcher trolley x 1</p> <p style="text-align: center;">Fire Fighting Vehicles</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td style="text-align: center;">Vehicle manufacturer</td> <td style="text-align: center;">Rosenbauer Panther (x3)</td> </tr> <tr> <td style="text-align: center;">Water Capacity</td> <td style="text-align: center;">12,000 (each)</td> </tr> <tr> <td style="text-align: center;">Foam Concentrate Capacity</td> <td style="text-align: center;">1,500 (each)</td> </tr> <tr> <td style="text-align: center;">Maximum Solution Discharge rate (1/min)</td> <td style="text-align: center;">6,000 @ 10bar (each)</td> </tr> <tr> <td style="text-align: center;">Dry Powder (kg)</td> <td style="text-align: center;">250 (each)</td> </tr> <tr> <td style="text-align: center;">Halon (kg)</td> <td style="text-align: center;">12 (each)</td> </tr> <tr> <td style="text-align: center;">Vehicle manufacturer</td> <td style="text-align: center;">Simon Gloster Saro Meter (x1)</td> </tr> <tr> <td style="text-align: center;">Water Capacity (1)</td> <td style="text-align: center;">2,700</td> </tr> <tr> <td style="text-align: center;">Foam Concentrate Capacity (1)</td> <td style="text-align: center;">360</td> </tr> <tr> <td style="text-align: center;">Maximum Solution Charge rate (1/min)</td> <td style="text-align: center;">2,275 @ 6.9 bar</td> </tr> <tr> <td style="text-align: center;">Dry Powder (kg)</td> <td style="text-align: center;">6</td> </tr> <tr> <td style="text-align: center;">Halon (kg)</td> <td style="text-align: center;">2</td> </tr> </tbody> </table> | Vehicle manufacturer | Rosenbauer Panther (x3) | Water Capacity | 12,000 (each) | Foam Concentrate Capacity | 1,500 (each) | Maximum Solution Discharge rate (1/min) | 6,000 @ 10bar (each) | Dry Powder (kg) | 250 (each) | Halon (kg) | 12 (each) | Vehicle manufacturer | Simon Gloster Saro Meter (x1) | Water Capacity (1) | 2,700 | Foam Concentrate Capacity (1) | 360 | Maximum Solution Charge rate (1/min) | 2,275 @ 6.9 bar | Dry Powder (kg) | 6 | Halon (kg) | 2 |
| Vehicle manufacturer | Rosenbauer Panther (x3) | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Capacity | 12,000 (each) | | | | | | | | | | | | | | | | | | | | | | | | |
| Foam Concentrate Capacity | 1,500 (each) | | | | | | | | | | | | | | | | | | | | | | | | |
| Maximum Solution Discharge rate (1/min) | 6,000 @ 10bar (each) | | | | | | | | | | | | | | | | | | | | | | | | |
| Dry Powder (kg) | 250 (each) | | | | | | | | | | | | | | | | | | | | | | | | |
| Halon (kg) | 12 (each) | | | | | | | | | | | | | | | | | | | | | | | | |
| Vehicle manufacturer | Simon Gloster Saro Meter (x1) | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Capacity (1) | 2,700 | | | | | | | | | | | | | | | | | | | | | | | | |
| Foam Concentrate Capacity (1) | 360 | | | | | | | | | | | | | | | | | | | | | | | | |
| Maximum Solution Charge rate (1/min) | 2,275 @ 6.9 bar | | | | | | | | | | | | | | | | | | | | | | | | |
| Dry Powder (kg) | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| Halon (kg) | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| Capability for removal of disabled aircraft | Various tools are available for this purpose | | | | | | | | | | | | | | | | | | | | | | | | |
| Remarks | The frequency 121.7 MHz is reserved for use by airport emergency services for aerodrome surface communications between fire services and aircraft on the ground. | | | | | | | | | | | | | | | | | | | | | | | | |

SEASONAL AVAILABILITY – CLEARING

| | |
|-----------------------------|----------------|
| Types of clearing equipment | Not applicable |
| Clearance priorities | Not applicable |
| Remarks | Nil |